

I hereby certify that this correspondence  
is being deposited with the United States  
Postal Service as first class mail in an  
envelope addressed to:

Commissioner for Patents  
United States Patent & Trademark Office  
Certificate of Correction Branch  
Mail Stop: Certificate of Correction  
P.O. Box 1450  
Alexandria, VA 22313-1450, on 2/1/05

Barbara A. Iannini

DATE \_\_\_\_\_

*CJK*

Certificate  
FEB 08 2005  
of Correction

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: Basil S. Katcheves	:	
	:	
Group Art Unit: 3635	:	
	:	
In re application of	:	
	:	
Paul Brown	:	METHOD OF RESISTING CORROSION
	:	IN METAL REINFORCING ELEMENTS
Serial No.: 10/044,660	:	CONTAINED IN CONCRETE AND
	:	RELATED COMPOUNDS AND
Filed: January 19, 2002	:	STRUCTURES
	:	
Patent No. 6,810,634 <i>B1</i>	:	
	:	
Issued: November 2, 2004	:	
	:	ATTORNEY DOCKET: 287122-00001-1

LETTER

600 Grant St., 44th Floor  
Pittsburgh, PA 15219  
February 1, 2005

Commissioner for Patents  
United States Patent & Trademark Office  
Certificate of Correction Branch  
Mail Stop: Certificate of Correction  
P.O. Box 1450  
Alexandria, VA 22313-1450


Sir:

In comparing the above-identified original patent document with the original papers filed in the Patent and Trademark Office, we have noted six (6) errors which were the printer's error.

FEB 14 2005

It is respectfully requested that a Certificate of Correction be issued to correct these printing errors in the above-identified patent.

Respectfully submitted,



Arnold B. Silverman  
Registration No. 22,614  
Attorney for Applicant

(412) 566-2077

FEB 14 2005

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : 6,810,634 *B1*

DATED : November 2, 2004

INVENTOR(S) : Paul Brown

It is certified that errors appear in the above-identified patent and that said Letters Patent should be corrected as shown below:

Col. 1, line 59, " $\text{Fe}^{2-}$ " should read  $-\text{Fe}^{2+}-$ .

Col. 3, lines 4-5, " $\cdot\text{Ca}(\text{NO}_2)$   
 $_2$ " should read  $-\cdot\text{Ca}(\text{NO}_2)_2-$ .

Col. 3, line 17, "prefer" should read  $-\text{preferably}-$ .

Col. 6, lines 40-41, " $\text{Ca}(\text{NO}_2)$   
 $_2$ " should read  $-\text{Ca}(\text{NO}_2)_2-$ .

Col. 8, lines 49-50, "(anion)  
 $_2$ " should read  $-(\text{anion})_2-$ .

Col. 14, line 20, " $3\text{CaO} \cdot \text{Fe}_2\text{O}_3 \cdot \text{CaCl}_2 \cdot \text{H}_2\text{O} + 2\text{NO}_2^-$ " should read  
 $-\text{3CaO} \cdot \text{Fe}_2\text{O}_3 \cdot \text{CaCl}_2 \cdot n\text{H}_2\text{O} + 2\text{NO}_2^- -$ .

1 of 1

**MAILING ADDRESS OF SENDER:**

Sally Novosel, Docket Administrator  
ECKERT SEAMANS CHERIN & MELLOTT, LLC  
600 Grant Street, 44th Floor  
Pittsburgh, PA 15219

**PATENT NO. 6,72,005**

No. of add'l. copies

@ 50¢ per page

⇒

FEB 14 2005